



# BJ SERVICES COMPANY MATERIAL SAFETY DATA SHEET

Region  
USA

## 1 PRODUCT AND COMPANY IDENTIFICATION

Product Name: **GW-3LDF**  
Item Number: 411323  
Product Use: Gellant - Water  
Supplier: BJ Services Company  
11211 FM 2920  
Tomball, Texas 77375  
(281)351-8131

**IN CASE OF EMERGENCY CALL: (800) 424-9300 for  
CHEMTREC  
(703) 527-3887 for  
International**

### HMIS HAZARD INDEX

HEALTH: 1  
FLAMMABILITY: 1  
REACTIVITY: 0  
PERSONAL PROTECTION: J

## 2 COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component	CAS#	Percent	Hazard
Petroleum Distillate Blend	Proprietary	60-70	
Guar gum	009000-30-0	30-40	Irritant

## 3 HAZARDS IDENTIFICATION

**PRIMARY ROUTES OF EXPOSURE:** Eye contact. Inhalation. Skin contact. Ingestion.

### ACUTE OVEREXPOSURE EFFECTS:

**INHALATION:** May cause allergic respiratory reaction. May cause headache, dizziness, nausea and incoordination. May cause respiratory tract irritation.

**INGESTION:** May be harmful if swallowed.

**EYE CONTACT:** May cause eye irritation.

**SKIN CONTACT:** May cause skin irritation.

### EXPOSURE LIMITS:

HAZARDOUS COMPONENT	ACGIH TLV	OSHA PEL	LC50 (inhalation)	LD50 (oral)
Petroleum Distillate Blend	5 (oil mist) mg/m3	NA	NA	NA
Guar gum	10 mg/m3	10 mg/m3	NA	6770 mg/kg rat

## **4 FIRST AID MEASURES**

### **INHALATION:**

If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Only trained personnel should administer oxygen. Get medical attention.

### **INGESTION:**

Get medical attention.

### **EYES:**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

### **SKIN:**

In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing and launder before reuse. Seek medical attention if irritation persists.

## **5 FIRE FIGHTING MEASURES**

<b>FLASHPOINT (METHOD):</b>	> 200° F (CC)
<b>LOWER EXPLOSION LIMIT (% v/v):</b>	Not available
<b>UPPER EXPLOSION LIMIT (% v/v):</b>	Not available
<b>AUTO-IGNITION TEMPERATURE:</b>	Not available

### **SPECIAL HAZARDS:**

Containers can build up pressure if exposed to heat (fire). Non-combustible material.

### **EXTINGUISHING MEDIA:**

Water fog, carbon dioxide, foam, dry chemical.

### **SPECIAL FIREFIGHTING PROCEDURES:**

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

### **HAZARDOUS COMBUSTION PRODUCTS:**

See Hazardous Thermal Decomposition Products.

## **6 ACCIDENTAL RELEASE MEASURES**

Wear specified protective equipment. Small spills - Cover spill with absorbent material. Scoop absorbed material into a suitable container for disposal. Large spills - Dike to contain. Prevent from entering sewers or waterways. Recover product to suitable containers or vessel for reuse, if possible, or for disposal.

## **7 HANDLING AND STORAGE**

### **HANDLING:**

Avoid contact with skin and eyes. Avoid breathing vapors, if exposed to high vapor concentration, leave area at once. Wash hands before eating and smoking.

### **STORAGE REQUIREMENTS:**

Keep away from incompatible materials. Keep away from heat. Keep container tightly closed, in a cool, well ventilated place.

## **8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **SPECIFIC ENGINEERING CONTROLS:**

Local exhaust. Use only in a well ventilated area.

### **PERSONAL PROTECTIVE EQUIPMENT:**

Cartridge respirator. Chemical resistant goggles. Neoprene gloves. Nitrile gloves. Rubber apron. Rubber boots.

## **9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>PHYSICAL STATE:</b>	Liquid
<b>COLOR:</b>	Beige
<b>ODOR:</b>	Hydrocarbon
<b>ODOR THRESHOLD:</b>	Not available

SPECIFIC GRAVITY:	1.07
VAPOR PRESSURE:	Not available
VAPOR DENSITY (air = 1):	Not available
EVAPORATION RATE:	Not available
BOILING POINT:	Not available
FREEZING POINT:	Not available
pH:	6 - 8
VISCOSITY (F):	Not available
SOLUBILITY IN WATER:	Not available

## **10 STABILITY AND REACTIVITY**

### **STABILITY:**

Stable under normal conditions of use.

### **INCOMPATIBILITY/CONDITIONS OF REACTIVITY:**

Strong oxidizers.

### **HAZARDOUS THERMAL DECOMPOSITION PRODUCTS:**

Oxides of carbon.

### **HAZARDOUS POLYMERIZATION:**

Will not occur.

## **11 TOXICOLOGICAL PROPERTIES**

### **CHRONIC EFFECTS:**

Not determined.

### **SENSITIZATION:**

Not known.

### **CARCINOGENICITY:**

None of the components of this product have been listed as carcinogenic by IARC, NTP or OSHA. (IARC- International Agency for Research on Cancer) (NTP - National Toxicology Program) (OSHA - Occupational Safety & Health Administration (US)).

### **MUTAGENICITY:**

Not known.

### **REPRODUCTIVE TOXICITY:**

Not known.

## **12 ECOLOGICAL INFORMATION**

No specific information available.

## **13 DISPOSAL CONSIDERATIONS**

### **WASTE DISPOSAL:**

Disposal should be made in accordance with national and local regulations. Consult local waste authorities for direction and/or approvals prior to disposal.

## **14 TRANSPORT INFORMATION**

### **LAND TRANSPORT (DOT)**

Proper Shipping Name: NOT RESTRICTED

UN/ID No.: NA

Hazard Class - Primary:

Hazard Class - Secondary:

Packing Group:

Reportable Quantity (RQ):

Emergency Response Guide #:

### **AIR TRANSPORT (ICAO/IATA)**

Proper Shipping Name: NOT RESTRICTED  
UN/ID No.: NA  
Hazard Class - Primary:  
Hazard Class - Secondary:  
Packing Group:

### **MARINE TRANSPORT (IMDG/IMO)**

Proper Shipping Name: NOT RESTRICTED  
UN No.: NA  
Hazard Class - Primary:  
Hazard Class - Secondary:  
Packing Group:  
EmS:

## **15 REGULATORY INFORMATION**

### **SARA TITLE III:**

**SECTION 302/304** This product does not contain substances listed in Appendix A and B as an Extremely Hazardous Substance.

**SECTION 311/312** Immediate

**SECTION 313** This product does not contain ingredients (at a level of 1% or greater) on the List of Toxic Chemicals.

**TSCA INVENTORY:** The substances in this product are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

**CALIFORNIA PROP 65:** This product does not contain substances which require warning under California Proposition 65.

**PRIORITY POLLUTANTS:**

## **16 OTHER INFORMATION**

**ISSUE DATE:** 10/07/2008

**PREPARED BY:** BJ Services Environmental Group

### **REFERENCES:**

CCINFO Web Information Service, Canadian Centre for Occupational Health and Safety, 2006.

Dangerous Goods Regulations, 48th ed., International Air Transport Association, 2007.

Guide to Occupational Exposure Values - 2006, American Conference of Governmental Industrial Hygienists, 2006.

SAX's Dangerous Properties of Industrial Materials

Supplier's Literature.

Suspect Chemicals Sourcebook

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.